

Appln. No. 09/677,072  
Amdt. dated: December 1, 2004  
Reply to Final Office Action dated September 9, 2004

### **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims**

1. (Canceled)
2. (Currently amended) A distributed messaging method for publishing topical data messages in a communications network comprising:
  - receiving in a first message router from a data consumer a request to subscribe to a message topic;
  - responsive to receiving said subscription request, retrieving from a message topic server a location of a second message router communicatively linked to a data publisher able to provide data messages consonant with said requested message topic;
  - sharing state memory among at least said message topic server, said first message router and said second message router to store both message traffic data and network configuration data;
  - establishing an interprocess communications connection between said first and second message routers;
  - responsive to a communication fault in at least one of said first message router, said second message router, said data consumer, and said message server, re-synchronizing said interprocess communications connection from said shared state memory;
  - transmitting data messages from said data publisher over said established re-synchronized interprocess communications link to said data consumer.
3. (Original) The method of claim 2, wherein said step of establishing an interprocess communications connection comprises establishing a multicast data communications link between said first and second message routers.

{00003391;}

Appin. No. 09/677,072

Amdt. dated: December 1, 2004

Reply to Final Office Action dated September 9, 2004

4. (Original) The method of claim 3, wherein said transmitting step comprises multicasting data messages from said data publisher over said multicast data communications link to said data consumer.
5. (Original) The method of claim 2, further comprising:  
detecting a communications interruption;  
responsive to detecting said interruption, terminating said subscription, retrieving from said message topic server a location of a message router communicatively linked to a data publisher able to resume said providing of said data messages consonant with said requested message topic, establishing an interprocess communications connection between said first message router and said message router communicatively linked to a data publisher able to resume said providing of said data messages, and resuming said transmission of said data messages from said data publisher over said established interprocess communications connection between said first message router and said message router communicatively linked to a data publisher able to resume said providing of said data messages.
6. (Original) The method of claim 5, wherein said detecting step comprises:  
detecting a communications break between said data publisher and said second router.
7. (Original) The method of claim 5, wherein said detecting step comprises:  
detecting a communications break between said first and second routers.
8. (Original) The method of claim 5, wherein said detecting step comprises:  
detecting said data publisher terminating publication of said requested message topic.
9. (Original) The method of claim 5, wherein said step of establishing an interprocess communications connection between said first message router and said message router communicatively linked to a data publisher able to resume said

{00003391;}

Appin. No. 09/677,072  
Amdt. dated: December 1, 2004  
Reply to Final Office Action dated September 9, 2004

providing of said data messages comprises re-establishing an interprocess communications connection between said first and second message routers.

10. (Currently amended) A machine readable storage, having stored thereon a computer program for publishing topical data messages in a communications network, said computer program having a plurality of code sections executable by a machine for causing the machine to perform the steps of:

receiving in a first message router from a data consumer a request to subscribe to a message topic;

responsive to receiving said subscription request, retrieving from a message topic server a location of a second message router communicatively linked to a data publisher able to provide data messages consonant with said requested message topic;

sharing state memory among at least said message topic server, said first message router and said second message router to store both message traffic data and network configuration data;

establishing an interprocess communications connection between said first and second message routers; and,

responsive to a communication fault in at least one of said first message router, said second message router, said data consumer, and said message server, re-synchronizing said interprocess communications connection from said shared state memory;

transmitting data messages from said data publisher over said established re-synchronized interprocess communications link to said data consumer.

11. (Original) The machine readable storage of claim 10, wherein said step of establishing an interprocess communications connection comprises establishing a multicast data communications link between said first and second message routers.

12. (Original) The machine readable storage of claim 11, wherein said transmitting step comprises multicasting data messages from said data publisher over said multicast data communications link to said data consumer.

{00003391;}

Appln. No. 09/677,072

Amdt. dated: December 1, 2004

Reply to Final Office Action dated September 9, 2004

13. (Original) The machine readable storage of claim 10, further comprising:  
detecting a communications interruption;  
responsive to detecting said interruption, terminating said subscription, retrieving from said message topic server a location of a message router communicatively linked to a data publisher able to resume said providing of said data messages consonant with said requested message topic, establishing an interprocess communications connection between said first message router and said message router communicatively linked to a data publisher able to resume said providing of said data messages, and resuming said transmission of said data messages from said data publisher over said established interprocess communications connection between said first message router and said message router communicatively linked to a data publisher able to resume said providing of said data messages.

14. (Original) The machine readable storage of claim 13, wherein said detecting step comprises:  
detecting a communications break between said data publisher and said second router.

15. (Original) The machine readable storage of claim 13, wherein said detecting step comprises:  
detecting a communications break between said first and second routers.

16. (Original) The machine readable storage of claim 13, wherein said detecting step comprises:  
detecting said data publisher terminating publication of said requested message topic.

17. (Original) The machine readable storage of claim 13, wherein said step of establishing an interprocess communications connection between said first message router and said message router communicatively linked to a data publisher able to

{00003391;}

Appln. No. 09/677,072  
Amdt. dated: December 1, 2004  
Reply to Final Office Action dated September 9, 2004

resume said providing of said data messages comprises re-establishing an interprocess communications connection between said first and second message routers.

18. (Currently amended) A distributed messaging system for transmitting topical data messages from data publishers to data consumers comprising:

- a message topic server;
- a first message router;
- a second message router;
- a data consumer communicatively linked with said first message router;
- a data publisher communicatively linked with said second message router;
- said first message router receiving from said data consumer a request to subscribe to a message topic and, responsive to receiving said subscription request, retrieving from said message topic server a location of said second message router;

wherein state memory is shared among at least said message topic server, said first message router and said second message router to store both message traffic data and network configuration data, an interprocess communications connection is established between said first message router and said second message router, and data messages are transmitted from said data publisher over said established interprocess communications link to said data consumer, and responsive to a communication fault in at least one of said first message router, said second message router, said data consumer, and said message server, said interprocess communications connection is re-synchronized from said shared state memory.

(00003391:)